

E.COLI COLIFORMS SUPPLEMENT

CAT N°:6041

Selective supplement for the simultaneous detection of *E.coli* and other coliform In water and food samples

FORMULA PER VIAL (Each vial for 500 ml of medium)

| | | | |
|------------|--------|-------------|--------|
| Vancomycin | 2.5 mg | Cefsulodine | 2.5 mg |
|------------|--------|-------------|--------|

PREPARATION

Aseptically reconstitute 1 vial with 5 ml of water. Mix gently until complete dissolution. Aseptically add to 500 ml of E.COLI COLIFORMS CHROMOGENIC AGAR BASE (BOE) Cat.1491, autoclaved and cooled to 45-50°C. Mix well and distribute into sterile containers.

| PRODUCT | CAT. | PACK SIZE |
|--|------|--|
| E.COLI COLIFORMS SUPPLEMENT | 6041 | 10 Vials. Each vial for 500 ml of medium |
| E.COLI COLIFORMS CHROMOGENIC AGAR BASE | 1491 | 500 g |

MICROBIOLOGICAL TEST

The following results were obtained from type cultures in the performance of the medium after incubation at a temperature of 36±2°C and observed after 21±3 hours.

| Microorganisms | Growth | Colony Color |
|--|--------|------------------|
| <i>Escherichia coli</i> ATCC 25922 | Good | Blue-dark violet |
| <i>Escherichia coli</i> ATCC 8739 | Good | Blue-dark violet |
| <i>Citrobacter freundii</i> ATCC 8090 | Good | Salmon |
| <i>Salmonella enteritidis</i> ATCC 13076 | Good | Colorless |
| <i>Enterococcus faecalis</i> ATCC 19433 | Null | - |

BIBLIOGRAPHY

Alonso, J.L. Soriano, K., Amoros I., Ferrus, M.A. 1998 Cevartitatine determination of *E. coli* and fecal coliforms in water using a chromogenic medium.

BOLETÍN OFICIAL DEL ESTADO. Num. 78 Martes 31 de marzo de 2009 Sec. I. Pág. 30417. Orden SCO/778/2009, de 17 de marzo, sobre métodos alternativos para el análisis microbiológico del agua de consumo humano.

STORAGE

When stored as indicated, supplements remain stable until the stated expiry date shown on the label.

